

POZZOLI

FEDELE S.R.L.

Tubi (PVC)



POZZOLI
FEDELE S.R.L.

KANALISATIONSROHRE VSM 18332/SN4 SDR41 COD. UD
TUBI DI PVC VSM 18332/SN4 SDR41 COD. UD

PVC Kanalisationsnns - Rohre mit steckmuffe und Dichtung - Tubi PVC con muffola e guarnizione


NW - DN	Masse - Misure mm	Baulaenge Lunghezza mm.
DN 100	110 X 3.2	1000
		2000/3000
		5000/6000
DN 125	125 X 3.2	1000
		2000/3000
		5000/6000
DN 150	160 X 3.2	1000
		2000/3000
		5000/6000
DN 200	200 X 3.2	1000
		2000/3000
		5000/6000
DN 300	315 X 7.7	5000/6000
DN 400	400 X 9.8	5000/6000



KANALISATIONSROHRE VSM 18332/SN2 SDR51 COD. UD
TUBI DI PVC VSM 18332/SN2 SDR51 COD. UD

PVC Kanalisationsnns - Rohre mit steckmuffe und Dichtung - Tubi PVC con muffola e guarnizione

NW - DN	Masse - Misure	Baulaenge Lunghezza mm.
DN 150	150 X 3.2	5000/6000
DN 200	200 X 3.9	5000/6000
DN 250	250 X 4.9	5000/6000
DN 300	315 X 6.2	5000/6000
DN 400	400 X 7.9	5000/6000



Bogen - Curve SN4

NW - DN	Grad - Gradi
DN 100	15°
	30°
	45°
	87°
DN 125	15°
	30°
	45°
	87°
DN 150	15°
	30°
	45°
	87°
DN 200	15°
	30°
	45°
	87°

Abzweigen 45° - Angolo SN4

NW - DN	Grad - Gradi
100/100	45°/87°
125/100	45°
125/125	45°/87°
150/150	45°/87°
200/125	45°
200/150	45°
200/200	45°/87°

Ispezione

NW - DN	Grad - Gradi
100	
125	
160	
200	



POZZOLI
FEDELE S.R.L.

Reduktionen - Riduzioni SN4

NW - DN	
100/125	
100/150	
125/150	
125/200	
150/200	

Doppelmuffen Schlaufen - Bigiunti SN4

NW - DN	
DN 100	
DN 125	
DN 150	
DN 200	

Sikerrohre - Tubi drenaggio PVC SN4

NW - DN	Masse Misure	Baulaenge Lunghezza mm.
DN 100	110 x 3.2	5000/6000
DN 125	125 x 3.2	5000/6000
DN 150	160 x 4.0	5000/6000
DN 200	200 x 4.9	5000/6000



POZZOLI
FEDELE S.R.L.

 **ITALDRENI**

Sickerrohre Flex+Vlies - Tubi drenanti flessibili

Produkt Prodotto	NW/DN mm	Rollenlänge Lung. Rotolo m	Innen mm
ITALFLEX COR aus PE TD TNT	63	50	51
ITALFLEX COR aus PE TD TNT	90	50	75
ITALFLEX COR aus PE TD TNT	110	50	94
ITALFLEX COR aus PE TD TNT	125	50	107
ITALFLEX COR aus PE TD TNT	140	50	120
ITALFLEX COR aus PE TD TNT	160	50	137
ITALFLEX COR aus PE TD TNT	200	25/50	182